

Basecoat

RZ - S190 Flip Controller - Aluminum/Pearl Effect - Adjusting Agent

Product Description

RZ - S190 is developed for REIZ aluminum colors to give silver toners a flash - like effect. Used to lighten up the side face and darken the front face of aluminum flakes.

Technical Characteristics

Color: Milky

Shelf life: 24 months at 25°C

Pre-treatment

See process described in **TDS of REIZ Basecoat** - Solid Basecoat 2c, Metallic Colors 2c, Red Pearl 2c, Xirallic / Pearlescent Basecoat 3c.

Mixing Ratio

Stir well before use.

		RZ - E100	RZ - S190
RZ - 1K Coarse Alu.	100 g:	15 g	0 - 10 g
RZ - 1K Fine Alu.	100 g:	20 g	0 - 10 g
RZ - P 3 - stage Pearl	100 g:	50 - 70 g	-
RZ - P 2 - stage Pearl	100 g:	10 g	-

* RZ - S190 Flip Controller may be added to ensure better results for aluminum and pearlescent pigments. The base content of at least 75%.

Spray Viscosity Potlife

to 19 sec IN 4 cup at 25°C

Application

See process described in **TDS of REIZ Basecoat**

Automotive Refinish

Drying

See process described in **TDS of REIZ Basecoat**

Further Treatment

See process described in **TDS of REIZ Basecoat**

The products are suitable for professional use only. The data contained in this publication are based on our current knowledge and experience. You can obtain the latest version of technical data sheet from our website at www.wonder-global.com or directly from your supplier.